

**MODEL POLYTECHNIC KARUNAGAPPALLY**

**NOTICE**

**DATE EXTENDED TILL: 28/03/2013 4.00pm**

---

No.P/823(1)/2015-16

Dated: 11/03/2016

Sealed quotations are invited for the supply of the materials specified in the schedule attached below over leaf. The rates quoted should be for delivery of the articles at the places mentioned below the schedule. Necessary superscription, due date for the receipt of quotations, date up to which the rates will have to remain firm for acceptance and the name and address of officer to whom the quotation is to be sent are noted below. Any quotation received after the time fixed on the due date is liable to be rejected. The maximum period required for delivery of the articles should also be mentioned.

**THE ACCEPTANCE OF QUOTATIONS WILL BE SUBJECT TO THE FOLLOWING CONDITIONS:**

1. Acceptance of the quotation constitute a concluded contract. Nevertheless, The successful tendered must with in a fortnight / a month after the acceptance of his quotation furnish 5 percent amount of the contract as security deposited and execute an agreement at his own cost for the satisfactory fulfillment of the contract, if so required.
2. Withdrawal from the quotation after it is accepted or failure to supply within a specified time or according to specification will entail cancellations of the order and purchases being made at the officer's expense from elsewhere, any loss incurred thereby being payable by the defaulting party. In such an event the government reserve also the right to remove the defaulter's name from the list of government suppliers permanently or for a specified number of years
3. Samples, duly listed should be forwarded wherever possible under separate cover and the unapproved samples got back as early as possible by the offerers at their own expenses and the government will in no case be liable for any expense on account of the value of the samples or their transport charges etc. In case, the samples are sent by railway the railway receipt should be sent separately and not along with the quotation since the quotation will be opened only on the appointed day demurrage will have to be paid if the railway parcels are not cleared in time .The approved samples may or may not be returned at the discretion of the undersigned. Samples sent by v.p.p or freight to pay will not be accepted.
4. No representation for enhancement of price once accepted will be considered during the currency of the contract.
5. Any attempt of the part of tenders or their agents to influence the officers concerned in their favour by personal canvassing will disqualify the tenders.
6. If any license or permit is required tenderers must specify it in their quotation and also state the authority to whom application is to be made.
7. The quotation may be for the entire or part supplies. But the tenders should be prepared to carry out such portion of the supplies included in their quotation as may be allotted to them.
8. The prices quoted should be included of all taxes, duties, cesses, etc. which are or may become payable by the contractor under existing or future laws or rules of the country of origin / supply or delivery during the course of execution of the contract.
9. The tenders shall quote also the percentage of rebate (discount) offered by them in case the payment is made promptly within fifteen days / within one month of taking delivery of stores.
10. Special conditions, if any printed on the quotation sheets of the tenders or attached with the tenders will not be applicable to the contract unless they are expressly accepted in writing by the purchaser.



	<p><b>7. Call Forwarding</b>  Call Forwarding feature enables incoming calls to be redirected automatically to another extension or an external number (mobile phone, home and etc.) .</p> <p><b>8. Doorphone Connectivity</b>  provides proprietary doorphone terminal connections at the front door.  AC Power Input : 90 VAC to 264 VAC, 50/60Hz  Power Consumption : 172VA @220V-AC (per KSU Cabinet)  Environment : Temperature: 0°C - 40°C (32F - 104F)  Humidity : 10% - 90% (non-condensing)  Dimension : 378mm(W) x 115mm(D) x 290mm(H) (for KSU)</p> <p><b>Key Service Unit/Main Cabinet</b>  Installation Charges</p>	
2	<p><b>EPABX</b>  <b>1 Trunk + 4 Extensions , Digital</b>  Flexible numbering,</p> <p style="text-align: center;"><b>Extension Function</b></p> <p>Auto call back on Busy Extn  Barge in with warning tone  Call Monitor  Call Toggle(Between Extn)  Call Pickup(Intercom/Trunk Call)</p> <p style="text-align: center;"><b>Standard</b></p> <p>1.Common Pick up  2.Selective Pick up  Call Transfer mode  Call Trasfer Type  Call Hold  Caller Id  Call Forward  Conference(3 Party)  Extension to Extension Call  Do not Disturb  Extension Ring Type</p> <p style="text-align: center;"><b>Customize</b></p> <p>A)Normal      B)Trunk  C)Executive    D)Cordless  Hot line(Extension)  Relay action(Manual Mode)  Flexible Extn/Features Code No.  Feature Enable/Disable Code</p> <p style="text-align: center;"><b>Trunk Function</b></p> <p style="text-align: center;"><b>Outgoing Call</b></p> <p>Access Group for Trunk  (A) Access Linear Mode  (B) Access Rotational Mode  c) Access Selective Mode</p>	<b>1</b>

	<b>Incoming Call</b>	d)Access Reserve Mode Auto call back on Busy Trunk Call Toggle Day Night Mode DTMF Dialing External Trunk Call Caller Id 1.DTMF Signal b.Trasferred call (in/Out) Call Toggle <b>Key Service Unit</b>	
--	----------------------	---	--

Place: Karunagappally

Date: 11/03/2016

PRINCIPAL